f2


FIG.1

1 FRAME T4 R2 T2 R4 **BASE STATION** f1 f2 f1 ↑ f2 → MOBILE STATION Ī **↓** R2 T2 MOBILE STATION(1)

→ BASE STATION f1 f1 ▼ R4 f2 T T T T4

MOBILE STATION(2) → BASE STATION

FIG.2






FIG.4

FREQUENCY GROUP NUMBER	FREQUENCY AS MANAGEMENT TARGET											
#1	1	7	13	19	25	31	37	43	49	55	61	67
#2	2	8	14	20	26	32	38	44	50	56	62	68
#3	3	9	15	21	27	33	39	45	51	57	63	69
#4	4	10	16	22	28	34	40	46	52	58	64	70
#5	5	11	17	23	29	35	41	47	53	59	65	71
#6	6	12	18	24	30	36	42	48	54	60	66	72

FIG.5

CS-ID [5:3]	PRIORITY OF FREQUENCY GROUP NUMBER						
000	#1	#2	#3	#4	#5	#6	
001	#2	#3	#4	#5	#6	#1	
010, 110	#3	#4	#5	#6	#1	#2	
011	#4	#5	#6	#1	#2	#3	
100, 111	#5	#6	#1	#2	#3	#4	
101	#6	#1	#2	#3	#4	#5	



FIG.6




FIG.7




FIG.8

CARRIER SENSE LEVEL NUMBER	CARRIER SENSE LEVEL VALUE
#1	10 dB <i>μ</i> V
#2	15 dB <i>μ</i> V
#3	20 dB μ V
#4	25 dB μ V
#5	35 dB <i>μ</i> V

FIG.9





FIG.10






FIG.12





FIG.13



12/15




FIG.15

